

CLAIMS

What is claimed is:

5

*Sub
A6*

A dispenser closure comprising:

a container finish having at least one thread and at least one lug stop formed thereon;

and,

a cap body threadably attached to said container finish, said cap body having a top wall with an opening therein, said top wall including an inner wall and an outer wall depending therefrom, said outer wall and said inner wall being concentrically aligned, said inner wall having at least one drop lug projecting from a terminating edge thereof.

2. The dispenser closure of claim 1, said at least one drop lug including two drop lugs
aligned along said inner wall.

3. The dispenser closure of claim 1, said outer wall including at least one child-resistant lock formed therefrom.



20 4. The dispenser closure of claim 3, said container finish including at least one child-resistant stop formed thereon.

a cap body threadably attached to said container finish, said cap body including a top wall with an inner wall and an outer wall depending therefrom, said inner wall having at least one drop lug projecting downward therefrom, said outer wall including at least one child-resistant lock projecting therefrom.

5

11. The dispenser closure of claim 10, further comprising a fitment attached to said container finish, said fitment including a post sealably engaging a spout portion of said cap body.

100 90 80 70 60 50 40 30 20 10

12. The dispenser closure of claim 10, said at least one drop lug including two drop lugs aligned along said inner wall, and said at least one child-resistant lock including two child-resistant locks aligned along said outer wall.

B3 13. The dispenser closure of claim 10, said lug stop being integrally formed with said child-resistant stop.

15

14. A dispenser closure comprising:

a container finish including a neck portion and at least one lug stop integrally formed with at least one child-resistant stop formed on said neck portion; and,

20 a cap body attached to said container finish, an inner wall and an outer wall projecting from a top wall of said cap body, said inner wall including at least one drop lug formed thereon, and said outer wall including at least one child-resistant stop formed thereon.

⁵
15. The dispenser closure of claim ⁴~~14~~, further comprising a fitment attached to said container finish and sealably engaged to said cap body.

⁶
16. The dispenser closure of claim ⁵~~15~~, said cap body further including a skirt depending from said top wall, said skirt including a sealing bead formed thereon, said sealing bead engaging said fitment.

⁷
17. The dispenser closure of claim ⁴~~14~~, said at least one drop lug projecting downwardly from a terminating edge of said inner wall.

⁸
18. The dispenser closure of claim ⁴~~14~~, said at least one drop lug including two drop lugs projecting from said inner wall, said at least one child-resistant lock including two child-resistant locks projecting from said outer wall.

⁹
19. The dispenser closure of claim ⁴~~14~~, said at least one lug stop including an over-torque barrier integrally formed therewith.

¹⁰
20. The dispenser closure of claim ⁴~~14~~, said at least one child-resistant stop including at least one cam formed integrally therewith.

Sub A7 5. The dispenser closure of claim 4, said child-resistant stop being integrally formed with said lug stop.

5 6. The dispenser closure of claim 1, said at least one drop lug including a spine projecting from said inner wall.

10 7. The dispenser closure of claim 6, said container finish having two lug stops and two child-resistant stops formed thereon, said cap body including two child-resistant locks formed thereon.

15 8. The dispenser closure of claim 1, said at least one lug stop including an over-torque barrier integrally formed therewith.

9. The dispenser closure of claim 1, further comprising a fitment disposed in an opening in said 15 container finish, said fitment sealably engaged to said cap body.

10. A dispenser closure comprising:
a container finish including at least one lug stop and at least one child-resistant stop formed thereon; and,